

Grade name: BC1-BK, BC2-BK and **BC3-BK Granules & Stockshapes** 



# **SAFETY DATA SHEET**

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) & 1272/2008 (CLP)

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE **COMPANY/UNDERTAKING**

1.1 **Product identifier** 

> Trade name PEEK-CLASSIX® BC1-BK, BC2-BK

> > and BC3-BK Granules and

Stockshapes.

Polyaryletherketone CAS No. 31694-16-3 or 29658-26-2

Carbon Black 1333-86-4 EINECS No. Polyaryletherketone Not available Carbon Black 215-609-9

REACH Registration No. Not available

Relevant identified uses of the substance or 1.2

mixture and uses advised against

Identified use(s) The material is designed for medical device applications

requiring blood or tissue contact for less than 30days. The materials are generally used for injection moulding and

extrusion operations.

Uses advised against This material is not for long term implantation.

Details of the supplier of the safety data sheet 1.3

Company Identification Invibio Ltd

**Technology Centre** Hillhouse International, Thornton-Cleveleys Lancs, UK

FY5 4QD

++ 44 (0) 1253 866812 Telephone Fax: ++ 44 (0) 1253 851458 E-Mail (competent person) sds@invibio.com

**Emergency telephone number** 1.4

Emergency Phone No. ++ 44 (0) 1253 866812

# **SECTION 2: HAZARDS IDENTIFICATION**

2.1 Classification of the substance or mixture

Preparation is not classified as hazardous in the sense of directive 1999/45/EC and 2006/121/EC.

Regulation (EC) No. 1272/2008 (CLP) 2.1.1

Not classified as dangerous for supply/use.

2.1.2 Directive 67/548/EEC & Directive 1999/45/EC Not classified as dangerous for supply/use.

Label elements 2.2

None. None.

2.3 Other hazards

**Additional Information** 2.4



Grade name: BC1-BK, BC2-BK and **BC3-BK Granules & Stockshapes** 



## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.1 Substances

EC Classification No. 1272/2008

Hazardous ingredient(s)	%W/W	EC No. REACH		Hazard statement(s)					
		Registration No.							
None.	-	-	-	-					

#### EC Classification No. 67/548/EEC

Hazardous ingredient(s)	%W/W	EC No.	REACH Registration No.	EC Classification and Risk Phrases
None.	-	-	=	=

#### 3.2 Additional Information

For full text of H/P phrases see section 16.

## **SECTION 4: FIRST AID MEASURES**



43

Description of first aid measures

Inhalation Remove to fresh air and keep at rest in a position comfortable

for breathing.

Skin Contact After contact with skin, wash immediately with plenty of soap and water. In the event of contact with molten product: Cool

affected area quickly with water. Do not attempt to remove

hardened product. Obtain medical attention.

Eye Contact Flush eyes with water for at least 15 minutes while holding

eyelids open.

Ingestion Call a physician (or poison control centre immediately). Do not

induce vomiting wash out mouth with water. Call a physician

(or poison control centre immediately).

Most important symptoms and effects, both Unlikely to be required but if necessary treat symptomatically. acute and delayed

Indication of the immediate medical attention Unlikely to be required but if necessary treat symptomatically.

and special treatment needed

#### **SECTION 5: FIRE-FIGHTING MEASURES**

5.1 Extinguishing media

> Suitable Extinguishing Media Unsuitable Extinguishing Media

5.2 Special hazards arising from the substance or mixture

5.3 Advice for fire-fighters Extinguish with waterspray, foam or dry chemical.

In case of fire the following can develop:Oxides of carbon.

A self contained breathing apparatus and suitable protective clothing should be worn in fire conditions.

Dust is ignitable but will not sustain combustion. A high temperature source of ignition is required. Insensitive to sparks. It will not train fire, e.g. along beams etc.



Grade name: BC1-BK, BC2-BK and **BC3-BK Granules & Stockshapes** 



## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with eyes or skin. Ensure sufficient supply of air. Avoid build up of dust.Remove possible cause of ignition - do not smoke. Take precautionary measures against static discharge.

6.2 **Environmental precautions**  Avoid release to the environment. Prevent surface and ground water infiltration, as well as ground penetration. Sweep up carefully with non-sparking tools. Transfer to a lidded container for disposal or recovery. Avoid build up of

6.3 Methods and material for containment and cleaning up

dust.

6.4 Reference to other sections

6.5 **Additional Information** 

## **SECTION 7: HANDLING AND STORAGE**

7.1 Precautions for safe handling General hygiene measures for the handling of chemicals are applicable. Eating, drinking, smoking, as well as food storage, is prohibited in work room. Avoid build up of dust. Local Exhaust Ventilation at the workplace or on the processing machines required. Note:Danger of explosive dust

Machine Cleaning (purging):Purging with other polymers (e.g. Polyethylene) at high temperatures can be hazardous. Auto ignition may also occur. Local exhaust ventilation is required. The relevant Safety Data Sheet for the purge material to be used should be consulted. Additional information can be obtained from the Victrex website

www.victrex.com

7.2 Conditions for safe storage, including any incompatibilities

Store products enclosed, in original packing.

The chemical structure and highly stable nature of PEEK-CLASSIX® polymers are such that the polymer's properties will not be affected by aging at ambient temperatures.

Storage Temperature Storage Life

Providing product is suitably stored (dry storage avoiding extensive exposure to direct sunlight) and remains packaged in its original form, PEEK polymers will remain stable and therefore may be stored for extended periods of time prior to use. Tests have shown that polymer viscosity remains stable

over a period of up to 20 years.

None known

Incompatible materials 7.3 Specific end use(s)

The materials are generally used for injection moulding and extrusion operations.

## **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Control parameters** 

8.1.1 **Occupational Exposure Limits**  None

SUBSTANCE.	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note:
Dust. (general dust limit	-	-	10	41 /	, ,	Inhalable Dust
value)			4			Respirable Dust.

8.1.2 Biological limit value

None

8.1.3 PNECs and DNELs

Not available.



Grade name: BC1-BK, BC2-BK and **BC3-BK Granules & Stockshapes** 



8.2 **Exposure controls** 

Local Exhaust Ventilation at the workplace or on the 8.2.1 Appropriate engineering controls

processing machines required.

8.2.2 Personal protection equipment

> Eye/face protection Eye protection with side protection (EN 166)



Skin protection (Hand protection/ Other)

Additional information on hand protection - No tests have been performed.

Impervious Gloves. Plastic or synthetic rubber gloves

When dealing with heated material: Insulating gloves EN 407

(heat)

If above exposure limits are likely to be exceeded, breathing

mask with fine dust filter (EN 143)



8.2.3 **Environmental Exposure Controls**  No special requirements.

#### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

Information on basic physical and chemical properties

Appearance Solid. (Granulate, Rod or Plate)

Colour Black Odour Odourless Odour Threshold (ppm) None Not applicable pH (Value)

Melting Point (°C) / Freezing Point (°C) 343°C Boiling point/boiling range (°C): Not known. Flash Point (°C) Not known. Evaporation rate Not known.

Flammability (solid, gas) Solid, Non-flammable

Explosive limit ranges Not explosive. Vapour Pressure (Pascal) 39.6 (@107°C) Vapour Density (Air=1) Not known Bulk Density (g/ml) ~1.3 Solubility (Water) Insoluble Solubility (Other) Insoluble Partition Coefficient (n-Octanol/water) Not known

Auto Ignition Temperature (°C) 595℃ Decomposition Temperature (°C) > 450 ℃ Viscosity (mPa.s) Not known

Explosive properties Not explosive, May form explosible dust clouds in

air.

Not oxidising Oxidising properties 9.2 Other information None

## **SECTION 10: STABILITY AND REACTIVITY**

Reactivity 10.1 Stable under normal conditions. 10.2 Chemical stability Stable under normal conditions. 10.3 Possibility of hazardous reactions Stable under normal conditions. Conditions to avoid Stable under normal conditions. 10.4 10.5 Incompatible materials Concentrated Sulphuric acid

10.6 Hazardous Decomposition Product(s) Oxides of carbon



Grade name: BC1-BK, BC2-BK and **BC3-BK Granules & Stockshapes** 



## **SECTION 11: TOXICOLOGICAL INFORMATION**

#### 11.1 Information on toxicological effects

11.1.1 Substances This product is essentially inert and non-toxic. Where

appropriate the material has been tested in accordance with

the following tests: ISO 10993 - 1 Guidance ISO10993 - 5 Cytotoxicity Iso109933 - 10 Sensitisation

Please contact Invibio Ltd for details

**Acute toxicity** 

Predicted to be low toxicity under normal conditions of Ingestion

handling and use.

Inhalation Mechanical irritation of the respiratory tract.

Skin Contact Repeated and/or prolonged skin contact may cause irritation.

In the event of contact with molten product: Thermal Burns (molten polymer will adhere to skin and cause severe burns).

Eye Contact No data. Dust may have irritant effect on eyes.

Permanent damage is unlikely.

Hazard label(s) Not known Serious eye damage/irritation Not known respiratory or skin sensitization Not known Not known Mutagenicity Carcinogenicity Not known Reproductive toxicity Not known STOT-single exposure Not known STOT-repeated exposure Not known Not known

**Aspiration hazard** 11.1.2

Mixtures

Not applicable

11.2 Other information None

# **SECTION 12: ECOLOGICAL INFORMATION**

12.1 **Toxicity** Low toxicity to aquatic organisms.

12.2 Persistence and degradability Not readily biodegradable.

12.3 Bioaccumulative potential Not classified as PBT or vPvB.

Mobility in soil The product has low mobility in soil. The product has low 12.4

mobility in sediment.

Results of PBT and vPvB assessment Not classified as PBT or vPvB. 12.5

Other adverse effects None anticipated 12.6



Grade name : BC1-BK, BC2-BK and BC3-BK Granules & Stockshapes



## **SECTION 13: DISPOSAL CONSIDERATIONS**

13.1 Waste treatment methods Disposal should be in accordance with local, state or national

legislation.

13.2 Additional Information Allocation of a waste code number, according to the

European Waste Catalogue, should be carried out in agreement with the regional waste disposal company. The waste codes are recommendations based on the scheduled use of this product. For alternative uses and applications, other waste codes may be allocated under certain

circumstances.

07 02 13- waste plastic

07 02 99- waste not otherwise specified

## **SECTION 14: TRANSPORT INFORMATION**

**14.1** Land transport (ADR/RID) Not classified as dangerous for transport.

UN number Not applicable Proper Shipping Name Not applicable

**14.2** Sea transport (IMDG) Not classified as dangerous for transport.

UN number Not applicable Proper Shipping Name Not applicable

14.3 Air transport (ICAO/IATA) Not classified as dangerous for transport.

UN number Not applicable Proper Shipping Name Not applicable

14.4 Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code

Not applicable

## **SECTION 15: REGULATORY INFORMATION**

**15.1** Safety, health and environmental Not classified as dangerous for supply/use. regulations/legislation specific for the

substance or mixture

**15.1.1 EU regulations** Observe restrictions VOC 1999/13/EC

Authorisations and/or restrictions on use None

15.1.2 National regulations None

**15.2** Chemical Safety Assessment Not relevant for this material.



Grade name : BC1-BK, BC2-BK and BC3-BK Granules & Stockshapes



## **SECTION 16: OTHER INFORMATION**

The following sections contain revisions or new statements: 1-16.

#### **LEGEND**

LTEL Long Term Exposure Limit
STEL Short Term Exposure Limit
STOT Specific Target Organ Toxicity
DNEL Derived No Effect Level

PNEL Predicted No Effect Concentration

#### References:

Workplace Exposure Limit (UK HSE EH40)

**Risk Phrases and Safety Phrases** 

None

Hazard statement(s) and Precautionary statement(s)

None

Training advice:

www.victrex.com

**Additional Information** 

Manufactured in the UK under a Quality System approved to ISO 9001.

Additional information on the properties, processing and application of INVIBIO® polymers is available at www.invibio.com These details refer to the product as it is delivered.

The statements made here should describe the product with regard to the necessary safety precautions – they are not meant to guarantee definite characteristics – but they are based on our present up-to-date knowledge.

#### Disclaimer

The information contained herein is believed to be an accurate description of the typical characteristics and/or uses of Invibio product(s) and services. However, it is your ultimate responsibility to determine the performance, efficacy and safety of using Invibio product(s) and services for a specific application. Suggestions of uses should not be taken as inducements to infringe any particular patent or as a representation that the product is suitable for such uses. INVIBIO MAKES NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION, A WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE OR OF INTELLECTUAL PROPERTY NON-INFRINGEMENT, INCLUDING, BUT NOT LIMITED TO PATENT NON-INFRINGEMENT, WHICH ARE EXPRESSLY DISCLAIMED, WHETHER EXPRESS OR IMPLIED, IN FACT OR BY LAW. FURTHER, INVIBIO MAKES NO WARRANTY TO YOUR CUSTOMERS OR AGENTS, AND HAS NOT AUTHORIZED ANYONE TO MAKE ANY REPRESENTATION OR WARRANTY OTHER THAN AS PROVIDED ABOVE. INVIBIO SHALL IN NO EVENT BE LIABLE FOR ANY GENERAL, INDIRECT, SPECIAL CONSEQUENTIAL, PUNITIVE, INCIDENTAL OR SIMILAR DAMAGES, INCLUDING WITHOUT LIMITATION, DAMAGES FOR HARM TO BUSINESS, LOST PROFITS OR LOST SAVINGS, EVEN IF INVIBIO HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. REGARDLESS TO THE FORM OF ACTION.

Revision: 10/05/11 Previous edition 03/12/09